



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]



Appendix G

Indigenous Communities Correspondence

Indigenous Communities Contacted and Subsequent Interactions

Aboriginal or First Nation Group and Contact Information	Interaction
<p>Chief Stacey LaForme Mississaugas of the New Credit First Nation</p> <p>2789 Mississauga Road, RR #6 Hagersville, ON N0A 1H0</p> <p>Phone: 905-768-1133</p>	<ul style="list-style-type: none"> • Notice of Commencement sent to the address listed on the left March 22, 2016 • Notice of PIC sent to the address listed on the left November 16, 2017. • Notice of Completion sent to the address listed on the left June 13, 2018.
<p>Ms. Fawn Sault Mississaugas of the New Credit First Nation</p> <p>2789 Mississauga Road, RR #6 Hagersville, ON N0A 1H0</p> <p>Email: Fawn.Sault@newcreditfirstnation.com Phone: 905-768-0665 905-768-4260</p>	<ul style="list-style-type: none"> • Notice of Commencement sent to the address listed on the left March 22, 2017. • Avid Banihashemi of Burnside called for follow up on the Notice and left a voicemail for Ms. Fawn Sault on April 5, 2017. • Avid Banihashemi of Burnside called for follow up on the Notice and left a voicemail for Ms. Fawn Sault on April 19, 2017. • Avid Banihashemi of Burnside called for follow up on the Notice and left a voicemail for Ms. Fawn Sault on April 21, 2017. Fawn requested that electronic versions of the NOCm and the form be sent to her via email. The Region sent the electronic version on the letter and the form on the same day. • Avid Banihashemi of Burnside received a call from Fawn Sault on April 24, 2017, asking about the footprints of the project on the Credit River. Avid responded that the study is at very early stages and the potential options are not confirmed yet. Fawn noted that they want to be closely involved in all different stages of the EA study. Most particularly: <ul style="list-style-type: none"> ○ They want to have their representatives/monitors present at the natural studies surveys. They asked for a natural survey work plan to be sent to them as well. ○ They want to have a meeting with the Region to clarify the potential footprints of the project, more specifically on the Credit River. <p>Avid explained that there is paperwork that needs to be done including a liability waiver on the field.</p> <ul style="list-style-type: none"> • Sanjeev Oberoi of the Region received a call from Fawn Sault on April 28, 2017. She notified that if the Stage 1 archeological Study escalated to a Stage 2 Study, then they would like to be involved in the Study. She also requested to meet with the Region sometime in June to speak about this. Sanjeev informed her that he will initiate the discussion with his senior management regarding this and reminded her to send him the response form. She said she is drafting a letter for the Region and the request to meet with the Region will be included in that.

	<ul style="list-style-type: none"> • Sanjeev Oberoi of the Region received an email from Fawn Sault and Karissa Johnson on June 23, 2017. The email noted that 'at this time', MNCFN has a low level of concern about the project. They asked that the Project Team immediately notify MNCFN if there are any changes to the project as they may impact MNCFN's interests and that MNCFN employs Field Liaison Representatives must be on location whenever any fieldwork for environmental and/or archaeological assessments is undertaken. • Sanjeev Oberoi of the Region sent an email to the email address listed on the left on July 10, 2017, with a formal letter attached. The email noted that the Project Team looks forward to continued dialogue and consultation with MNCFN throughout the course of the Study. The formal letter also noted that since neither the Crown nor MNCFN identified any potential impacts to Aboriginal or treaty rights arising from the Study, the Region does not support MNCFN Field Liaison Representatives' direct participation in the fieldwork. However, if the archaeological assessment goes beyond a stage 1 desktop survey or the Project team otherwise becomes aware of information about potential impacts to Aboriginal or treaty rights, the Region is open to re-visiting the issue. The email also noted that a couple of the suggested meeting dates are outlined in the attached letter. The email asked MNCFN to confirm their potential availability on either of the suggested dates or alternatively suggest a different date and time that may be suitable for MNCFN representatives. • Notice of PIC sent to the address listed on the left November 16, 2017. • Avid Banihashemi of Burnside called to follow up on MNCFN receiving the Notice of PIC. Avid talked to Dale who confirmed that the MNCFN has received the Notice of PIC and that it had been passed to their consultation manager. • Notice of Completion sent to the address listed on the left June 13, 2018.
<p>Chief Allen MacNaughton Haudenosaunee Confederacy Chiefs Council</p> <p>Additional Contact: Hohahes Leroy Hill, Secretary to Haudenosaunee Confederacy</p> <p>Haudenosaunee Confederacy Chiefs Council 16 Sunrise Court, Suite 407, P.O. Box 714 Ohsweken, ON N0A 1M0</p> <p>Phone: 519-445-4222 519-771-2550</p>	<ul style="list-style-type: none"> • Notice of Commencement sent to the address listed on the left March 22, 2017. • Avid Banihashemi of Burnside called for follow up on the Notice on April 5, 2017. They noted that they have not got a chance to look at the Notice yet, but will follow up to have a response back through email. • Avid Banihashemi of Burnside called for follow up on the Notice on April 19, 2017. Avid talked to Tracy and then left a message for Leanna Hill. • Sanjeev Oberoi of the Region received a call from Leanna Hill on April 20, 2017. She introduced herself as an Environment Project Manager working for HDI. She acknowledged receiving the Notice of Commencement for John Street WWPS

Class EA Study. She asked about the status of the project, Sanjeev explained that the Region is currently in the process of getting ready to start the Natural Environment Review Study. She mentioned that HDI would like to put monitors out in the field also to do the Study.

- Sanjeev Oberoi of the Region received a call from Todd Williams (HDI Staff) on April 20, 2017. He said that he is calling regarding setting up HDI staff for the frog call survey work with Burnside. Sanjeev informed him that HDI has to sign a waiver document/agreement with the Region before their staff can go to the site for field work. Todd agreed with this approach and said that HDI has a standard template which he will send to Sanjeev. Sanjeev informed him that this document has to be reviewed by his supervisor and Manager along with the Region's legal team. He also told Todd that since the approval process for the waiver document cannot be done overnight, The Region will proceed with the Frog call survey work because this work cannot be delayed any further. Todd agreed with this and said that HDI needs to be kept in the loop for any future field work.
- Sanjeev Oberoi of the Region received an email from Hazel Hill on April 28, 2017, providing the NOCm response form filled by HDI.
- Sanjeev Oberoi of the Region received an email from Hazel Hill on May 3, 2017, providing an agreement on the HDI Environmental Monitor presence during the Region's environmental monitoring field visits.
- Sanjeev Oberoi of the Region received an email from Hazel Hill on May 25, 2017, noting that given that the Project Team have commenced work and HDI is uncertain as to what stage the Project is in, HDI will be sending their monitors out to the job site the following week. They asked that the Project Team ensures that HDI have a contact person available when they get there.
- Sanjeev Oberoi of the Region sent a response email to Hazel Hill on May 26, 2017, with a formal letter attached. The email noted that the Project Team looks forward to continued dialogue and consultation with HDI throughout the course of the Study and would be happy to meet with HDI regarding the objectives of the Study and ongoing opportunities for HDI to provide input to the Study.

The formal letter also noted that while the Region encourages HDI to provide comments and input during the Study, the Region will not enter into the provided Environmental Monitoring Agreement. However, if the archaeological assessment goes beyond a stage 1 desktop survey or the Project team otherwise becomes aware of information about potential impacts to Aboriginal or treaty rights, the Region is open to re-visiting the issue.

The email also noted that the Project Team has proposed a couple of the suggested meeting dates outlined in the attached letter. The letter

<p>Contact: Hohahes Leroy Hill, Secretary to Haudenosaunee Confederacy</p> <p>2364 6th Line, RR #2 Ohsweken, Ontario N0A 1M0</p>	<p>asks HDI to confirm their potential availability on either of these dates or suggest a different date and time that may be suitable for them.</p> <ul style="list-style-type: none"> • Notice of PIC sent to the updated address listed on the left November 16, 2017. • Avid Banihashemi of Burnside called to follow up on HDI receiving the Notice of PIC. Avid talked to Misty who confirmed that the MNCFN has received the Notice of PIC and that it had been passed to their consultation manager. • Notice of Completion sent to the updated address listed on the left June 13, 2018.
<p>Chief Gail Ava Hill Six Nations of the Grand River</p> <p>P.O. Box 5000 Ohsweken, ON N0A 1M0</p> <p>Phone: 519-753-0665</p>	<ul style="list-style-type: none"> • Notice of Commencement sent to the address listed on the left March 22, 2017. • Avid Banihashemi of Burnside called for follow up on the Notice on April 5, 2017. Avid talked to Matt Jocko who noted that They have not yet got a chance to look the notice, but they will shortly and provide potential comments through emails provided on the NOCm. • Avid Banihashemi of Burnside called for follow up on the Notice on April 19, 2017 and left voice messages for Joanne Thomas and Matt Jocko. • Avid Banihashemi of Burnside called for follow up on the Notice on April 24, 2017, and talked to Matt Jocko who noted that he is in the process of reviewing the NOCm and will get back to the contacts provided on NOCm if they have any comments/questions. • Avid Banihashemi of Burnside called for follow up on the Notice on May 26, 2017, and talked to Matt Jocko. He noted that at this time they do not have any questions or concerns regarding the project. But they would like to be kept on the project contact list to receive notices and to be kept informed. • Avid Banihashemi of Burnside called to follow up on SNGR receiving the Notice of PIC. The phone was answered and Avid was directed to email Matt Jocko at mjocko@sixnations.ca. No response received from Matt. • Notice of PIC sent to the address listed on the left November 16, 2017. • Notice of Completion will to the address listed on the left June 13, 2018.
<p>Ms. Arleen Maracle Community Liaison Coordinator Six Nations of the Grand River</p> <p>Updated Contact: Joanne Thomas, Consultation Supervisor Lonny Bomberry, Land and Resources Director</p> <p>P.O. Box 5000 Ohsweken, ON N0A 1M0</p>	<ul style="list-style-type: none"> • Notice of Commencement sent to the address listed on the left March 22, 2017. • Notice of PIC sent to Joanne Thomas, Consultation Supervisor, to the address listed on the left November 16, 2017. • Notice of Completion sent to the updated contact listed on the left June 13, 2018.



April 19, 2017

Haudenosaunee Development Institute
16 Sunrise Court, Suite 407
P.O. Box 714
Ohsweken ON,
N0A 1M0

030-200-016
RECEIVED
APR 25 11 17 AM
Public Works
Infrastructure Planning & Policy 1151
Bronte Road
Oakville ON L6M 3L1
Fax: (905) 847-2192

**Re: Municipal Class Environmental Assessment Study – Notice of Study Commencement
John Street Wastewater Pumping Station, Town of Halton Hills (Georgetown)**

Dear Chief Allen MacNaughton:

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain station in a state of good repair.

Accordingly, Halton Region has retained R.J. Burnside & Associates Limited (Burnside) to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards. Alternative solutions may include construction of a new emergency over flow to the Credit River to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events.

This Study is being carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*. The Study Area is shown in the attached Notice.

In order to initiate engagement, we are notifying your Indigenous community of the project (see enclosed notice) in hope that you can assist our Study project team in determining if your community may hold an interest in this project. Your comments are welcome and will be taken into consideration throughout this Municipal Class EA Study. For your convenience, we have enclosed a 'Response Form'. Specifically, we are seeking input on:

- Any preliminary comments or concerns that your community has on the proposed project;
- The level of interest in the project from the community for further engagement; and,
- The best methods to communicate with your community.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment is being carried out to establish the archaeological significance of the Study Area and identify any potential archaeological resources (including those of aboriginal descent) in order to minimize any potential impacts to the same prior to any future construction activities being undertaken. The Archaeological Assessment will be submitted to the Ministry of Tourism, Culture and Sport for approval to ensure that any concerns over any potential archaeological sites noted within the study area are satisfied and/or are to be further addressed through additional archaeological study. In parallel, a copy of this Assessment, or any other technical reports completed as part of this project, can also be provided to your community upon request. Our project team would be pleased to meet with you at any time during the Study to answer your questions or respond to any concerns you may have.

Thank you in advance for your participation. Should you have any questions or require additional information, please contact the undersigned by phone (905) 825-6000, ext. 7921, or fax (905) 847-2192 or email sanjeev.oberoi@halton.ca.

The Regional Municipality of Halton

Sincerely,



Sanjeev Oberoi , P.Eng.

Project Manager

Enclosure(s): Notice of Study Commencement and Response Form

cc: Jeff Langlois, Burnside
Jennifer Vandermeer, Burnside

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:

Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below)		
4.	Is the project within an area subject to a land claim?		
5.	Would your community / organization like to meet with the Region to discuss this study?		

Is there any additional information your community requires from the Region in order to better understand the study and to identify if / how the project may adversely impact Aboriginal and / or Treaty rights of your community?

Please identify any initial comments your community or organization may have at this time.

Please return this completed to **Sanjeev Oberoi P.Eng.**
Project Manager-Halton Region
1151 Bronte Road, Oakville, Ontario, L6M
Telephone: (905) 825-6000 ext. 7921
Fax: 905-847-2192
Sanjeev.oberoi@halton.ca

NOTICE OF STUDY COMMENCEMENT

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station 68 John Street, Georgetown PR-2987A & PR-2987B

Study

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state of good repair. Accordingly, Halton Region initiated a Municipal Class Environmental Assessment (Class EA) Study that will consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards, including provision for an emergency over flow to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events. The impact of the WWPS upgrade alternatives on social, cultural, economic and natural environments will be evaluated and assessed during the Class EA Study.

The WWPS site location and approximate extent of the Study Area are shown on the map.


Process

This notice signals the commencement of the Class EA Study, which will define the problem, identify and evaluate alternative solutions, and determine a preferred solution in consultation with the Town of Halton Hills, regulatory agencies and the public. The Study is being carried out in accordance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Consultation with stakeholders, such as the public and review agencies, is a key component of the Study process, and input will be sought throughout the Study. A Public Information Centre (PIC) is anticipated to be held in summer 2017. Details regarding the forthcoming PIC will be advertised as the Study progresses. Upon completion of the Study, a Project File will be prepared and placed on the public record for a minimum 30-day review period. The document will detail the planning and consultation processes and the preferred alternative.

Comments

Comments received through the course of the Study will be considered and documented in the Class EA Study Report. Additional information related to the Study and consultation process may be obtained through the website: halton.ca/EAprojects



Please contact either of the project team members listed below if you have questions or would like to provide comments on the Class EA Study:

Sanjeev Oberoi, P.Eng.
Project Manager
Halton Region
1151 Bronte Road
Oakville, Ontario, L6M 3L1
Phone: (905) 825-6000 ext. 7921
Fax: (905) 847-2192
Email: Sanjeev.Oberoi@halton.ca

Jennifer Vandermeer, P.Eng.
Environmental Assessment Lead
R.J. Burnside & Associates Limited
292 Speedvale Ave. W, Unit 20
Guelph, Ontario, N1H 1C4
Phone: (226) 486-1559
Fax: (519) 836-5477
Email: Jennifer.Vandermeer@rjburnside.com

Information provided in response to this notice will be collected in accordance with the *Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public records.

This Notice first issued March 16, 2017.



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Telephone/Voicemail Message

Date Received: April 5, 2017 **Project No.:** 300039946.0000
Project Name: John St. WWPS Class B EA
Subject: Follow up #1 on the Notice of Commencement
To: Haudenosaunee Development Institute (HDI)
From: Avid Bani Hashemi Jahromi
Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

Burnside explained that they are calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to Mr. Hohahes Leroy Hill, Secretary to Haudensaunee Confederacy, HDI on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns. They noted that they have not got a chance to look at the Notice yet, but will follow up to have a response back through email.

050317_Follow up call NOCm Haudenosaunee Development Institute (HDI) John St. EA
1/29/2018 10:06 AM



Telephone/Voicemail Message

Date Received: 19th and 20th April, 2017 **Project No.:** 300039946.000

Project Name: John St. WWPS Class B EA

Subject: Follow up #2 on the Notice of Commencement

To Ms. Leanna Hill and Mr. Tod Williams, HDI

From: Avid Banihashemi Jahromi and Sanjeev Oberoi

Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

19th April, 2017: Avid talked to Tracy and left a message for Leanna Hill: Burnside is calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to the Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns.

20th April, 2017: Around 2:05PM, Sanjeev received a call from Leanna Hill. She introduced herself as an Environment Project Manager working for HDI. She acknowledged receiving the Notice of Commencement for John Street WWPS Class EA Study. She asked about the status of the project, Sanjeev explained that the Region is currently in the process of getting ready to start the Natural Environment review Study. She mentioned that HDI would like to put monitors out in the field also to do the Study. Sanjeev informed her that Burnside's Terrestrial Ecologists will be doing the frog call survey sometime tomorrow (21st April) evening. She offered that if the Region would send her the address or the map of the area along with the exact time of the proposed survey then she would send her staff to accompany the Burnside staff.

Her contact details are as below:

Leanna Hill, Environment PM
Hill.leanna.s@gmail.com
519-445-4222
519-771-2550 (cell)

20th April, 2017: Sanjeev got another call from Todd Williams (HDI staff) around 3:30PM. He informed Sanjeev that Leanna Hill ask him to call me regarding setting up HDI staff for the frog call survey work with Burnside. Sanjeev informed him that HDI has to sign a waiver document/agreement with the Region before their staff can go to the site for field work. Todd agreed with this approach and said that HDI has a standard template which he will send to Sanjeev. Sanjeev informed him that this document has to be reviewed by his supervisor and Manager along with the Region's legal team. He also told Todd that since the approval process for the waiver document cannot be done overnight, The Region will proceed with the Frog call survey work tomorrow (21st April) because this work cannot be delayed any further. Todd agreed with this and said that HDI needs to be kept in the loop for any future field work.

200417_Follow up calls NOCm HDI John St. EA
4/24/2017 2:41 PM

Avid Banihashemi

From: Oberoi, Sanjeev <Sanjeev.Oberoi@halton.ca>
Sent: Tuesday, May 02, 2017 11:47 AM
To: Jeff Langlois; Jennifer Vandermeer; Avid Banihashemi
Cc: Arsenault, Dave
Subject: FW: Halton Region: John St WWPS -Notice of Study Commencement, Response Form
Attachments: Halton-JohnStWWPS-ResponseForm.PDF; HALTON REGION OUR FILE NO. 030-200-016 RE- MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY - NOTICE FO STUDY COMMENCEMENT JOHN STREET WASTEWATER PUMPING STATION, TOWN OF H.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Categories: Managed in IBM ECM

Fyi, copy of the completed response form received back from HDI.
Thanks,

Sanjeev Oberoi, P.Eng.

Project Manager II

Infrastructure Planning & Policy

Public Works

Halton Region

905-825-6000, ext. 7921 | 1-866-442-5866



This message, including any attachments, is intended only for the person(s) named above and may contain confidential and/or privileged information. Any use, distribution, copying or disclosure by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please notify us immediately by telephone or e-mail and permanently delete the original transmission from us, including any attachments, without making a copy.

From: Todd Williams [<mailto:williams.todde@gmail.com>]
Sent: Tuesday, May 02, 2017 11:26 AM
To: Oberoi, Sanjeev
Cc: Hazel Hill; Aaron Detlor; Brian Doolittle; HDI Tracy; Misty Hill
Subject: Halton Region: John St WWPS -Notice of Study Commencement, Response Form

Sanjeev, please see attached project response form for this project

Thanks Todd

----- Forwarded message -----

From: Tracey General <traceyghdi@gmail.com>
Date: Fri, Apr 28, 2017 at 2:38 PM

Subject: HALTON REGION OUR FILE NO. 030-200-016

To: Hazel Hill <hazelehill@gmail.com>, Brian Doolittle <ganowa@me.com>, Robert Aaron Detlor <aarondetlor@gmail.com>, Misty Hill <mistyhdi@gmail.com>, Todd Williams <williams.todde@gmail.com>

Good Afternoon:

**RE: Municipal Class Environmental Assessment Study
Notice of Study Commencement
John Street Wastewater Pumping Station
Town of Halton Hills (Georgetown)**

The following attachment is a Notice of Study Commencement for this Project.

Thank you!
Tracey

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:	
Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		✓
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below) CREDIT RIVER	✓	
4.	Is the project within an area subject to a land claim?	✓	
5.	Would your community / organization like to meet with the Region to discuss this study?	✓	

Is there any additional information your community requires from the Region in order to better understand the study and to identify if / how the project may adversely impact Aboriginal and / or Treaty rights of your community?

ARCHAEOLOGY & ENVIRONMENTAL REPORTS

Please identify any initial comments your community or organization may have at this time.

PLEASE CONTACT US REGARDING
OUR MONITORS PARTICIPATION IN
THE ARCHAEOLOGICAL & ENVIRONMENTAL
FIELD SURVEYS FOR THE ENVIRONMENTAL
ASSESSMENT

Please return this completed to **Sanjeev Oberoi P.Eng.**
Project Manager-Halton Region
1151 Bronte Road, Oakville, Ontario, L6M
Telephone: (905) 825-6000 ext. 7921
Fax: 905-847-2192
Sanjeev.oberoi@halton.ca

From: Hazel Hill [<mailto:hazelehill@gmail.com>]
Sent: Wednesday, May 03, 2017 10:27 AM
To: Sanjeev.Oberois@halton.ca; Jennifer Vandermeer
Cc: Hazel E. Hill; Brian Doolittle; Aaron Detlor; Todd Williams; traceyghdi@gmail.com; Leanna Hill
Subject: Re: HALTON REGION OUR FILE NO. 030-200-016

Good Morning Mr. Oberoi & Ms. Vandermeer

Please see the attached.

Kind Regards,
Hazel

April 28, 2017

**Halton Region
John Street Wastewater Pumping Station MCEA,
Environmental Field Surveys 2017**

Subject: HDI Environmental Monitoring at the John Street Wastewater Pumping Station - MCEA

The purpose of this letter agreement (this "Agreement") is to recognize Haudenosaunee Development Institute's ("HDI") placement of Environmental monitors (collectively, the "Monitor") at the John Street Wastewater Pumping Station - MCEA in accordance with the Rates set out at Schedule A attached hereto.

Subject to the below terms and conditions, Halton Region and HDI (collectively, the "Parties") hereby agree that Halton Region will pay the costs for the Monitors.

In addition, the Parties agree that (i) the Monitors will be reimbursed for reasonable mileage and meals in accordance with the appropriate guidelines, and (ii) amounts invoiced by Monitors in accordance with will include a payroll processing fee not to exceed 10% of such invoiced amount which fee shall be payable to HDI

1. The Monitors selected by HDI shall have appropriate qualifications for the work required including training in monitoring. Upon request by Halton Region, HDI or the applicable Monitor shall provide written evidence of such Monitor's qualifications to Halton Region which evidence shall include a current copy of such Monitor's resume.
2. The number of Monitors to be utilized in connection with the environmental field surveys required for the Project shall be per Schedule B, attached hereto. The Parties agree that the maximum amount billed by HDI in respect of the Monitoring work shall not exceed the total indicated in Schedule B, unless agree to in writing by the Parties.
3. The Parties agree that the Monitors will attend on site safety training and/or orientations and follow the instructions of the Halton Regions, consultant's field personnel when monitoring the project activities, concerning safety practices, and the Monitors will attend "tailgate" safety meetings, if applicable.
4. The Parties agree that the applicable Consultant will coordinate site meeting locations and times directly with the Monitors, or through HDI's Leanna Hill. The contact information for the HDI coordinator is:

Leanna Hill Tel.: 519-771-2550 Email: hill.leanna.s@gmail.com	
---------------------------------------------------------------------	--

5. The Parties agree that the Monitors are not employees, contractors or sub-contractors of the Contractors, and that the Monitors will be responsible for their own personal protective equipment, including hard hats, safety boots, safety glasses and safety vests as required to safely enter the Projects construction site.
6. The Parties agree that Halton Region will pay the amounts agreed to above by cheque or bank transfer within thirty (30) days upon receipt of an invoice which invoice shall explain in reasonable detail each Monitor's time, fees, reasonable mileage and meal expenses and the nature and date

of work performed. All invoices should be addressed directly to "Halton Region", and the relevant Project should be noted in the text of each invoice.

1. Invoices should be submitted electronically to the following address: Sanjeev.oberoi@halton.ca. The Parties agree that any amounts paid pursuant to this Agreement are being made for and shall be used for the benefit of HDI. Also, Fees, invoices, and/or disbursements remaining unpaid more than thirty (30) days after the bill is delivered will earn interest at x.x per cent compounded annually.
7. Such payment will not be paid for the improper personal gain of any individual or for any other purpose that might violate any Canadian anti-corruption law, the U.S. Foreign Corrupt Practices Act or any other applicable law. Halton Region reserves the right to terminate this Agreement if it determines that any payments made to HDI are being used in violation of any Canadian anti-corruption law, or any other applicable law.
8. The Parties agree that this Agreement and any amendments thereto, if any, constitute the entire agreement between the Parties as to the matters governed hereby and thereby and supersede and replace all prior arrangements, agreements or understandings with respect to such matters.
9. HDI shall provide proof of Workplace Safety and Insurance Board (WSIB) coverage for the duration of the project, and shall provide a certificate of insurance or clearance certificate evidencing the same.

If this Agreement accurately reflects your understanding of the terms of our agreement and you agree to be legally bound thereby, as we do, please execute this letter agreement (in counterparts, if necessary) where indicated below and return a copy thereof to the undersigned.

Yours truly,



Haudenosaunee Development Institute

The foregoing accurately reflects the terms of the arrangement which we hereby agree to enter into and the undersigned agrees to be legally bound hereby.

Accepted at _____ this _____ day of ___April, ___ 2017 _____.

By: _____

Halton Region

SCHEDULE A –HDI MONITOR RATES

<u>Title</u>		<u>Qualifications</u>	<u>Type</u>	<u>Rate</u>	<u>Travel Allowance</u>
Environmental Monitors		Environmental Technician Diploma	Environmental Monitor	\$100.00/hr	\$25.00/day up to 50 km or .55/km
Per diem standard rates apply if away from home					

SCHEDULE B – HDI Monitoring Schedule and Budget

One (1) Environmental Monitor for the duration of the Environmental Field Surveys at the rate(s) outlined in Schedule A.

Avid Banihashemi

From: Oberoi, Sanjeev <Sanjeev.Oberoi@halton.ca>
Sent: Friday, May 26, 2017 11:01 AM
To: 'Hazel Hill'; Jennifer Vandermeer
Cc: Brian Doolittle; Aaron Detlor; Todd Williams; traceyghdi@gmail.com; Leanna Hill; Karl Hill; Wayne Hill; Noordhof, Jake (MOECC); trevor.bell@ontario.ca; Simpson, David; Arsenault, Dave; Jennifer Vandermeer
Subject: RE: HALTON REGION OUR FILE NO. 030-200-016
Attachments: HDI response letter_May 26 2017.pdf; FW: HALTON REGION OUR FILE NO. 030-200-016

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning Hazel,

Thanks for your letter and email correspondence to date in regards to the John Street WWPS Class EA Study. Please find attached the Region's formal response to your queries.

We look forward to continued dialogue and consultation with you throughout the course of the Study. In this regard, we are happy to meet with you regarding the objectives of the Study and ongoing opportunities for you to provide input to the Study. We have proposed a couple of the suggested meeting dates as outlined in the attached letter. Please confirm your potential availability on either of these dates or alternatively suggest a different date and time that may be suitable.

Regards,
Sanjeev

Sanjeev Oberoi, P.Eng.

Project Manager II

Infrastructure Planning & Policy

Public Works

Halton Region

905-825-6000, ext. 7921 | 1-866-442-5866



halton.ca ☎ 311

This message, including any attachments, is intended only for the person(s) named above and may contain confidential and/or privileged information. Any use, distribution, copying or disclosure by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please notify us immediately by telephone or e-mail and permanently delete the original transmission from us, including any attachments, without making a copy.

From: Hazel Hill [<mailto:hazelehill@gmail.com>]
Sent: Thursday, May 25, 2017 1:17 PM
To: Jennifer Vandermeer; Oberoi, Sanjeev

Cc: Hazel E. Hill; Brian Doolittle; Aaron Detlor; Todd Williams; traceyghdi@gmail.com; Leanna Hill; Karl Hill; Wayne Hill
Subject: Re: HALTON REGION OUR FILE NO. 030-200-016

Good Afternoon,

We have yet to receive the reports requested on the John Street WWPS. Given that you have commenced work and we are uncertain as to what stage you are in, we will be sending our monitors out to the job site next week.

Please ensure that we have a contact person available when we get there.

Kind Regards,

Hazel

On May 3, 2017, at 10:32 AM, Hazel Hill <hazelehill@gmail.com> wrote:

resending with correct email addresses

On May 3, 2017, at 10:27 AM, Hazel Hill <hazelehill@gmail.com> wrote:

Good Morning Mr. Oberoi & Ms. Vandermeer

Please see the attached.

Kind Regards,
Hazel

<030-200-016-001 o-g Halton Wastewater Pumping Station may 2017.pdf>
<Halton Hills Env Monitor Agreement May 2017.pdf>

On Apr 28, 2017, at 2:38 PM, Tracey General
<traceyghdi@gmail.com> wrote:

Good Afternoon:

**RE: Municipal Class Environmental Assessment
Study
Notice of Study Commencement
John Street Wastewater Pumping Station
Town of Halton Hills (Georgetown)**

The following attachment is a Notice of Study Commencement for this Project.

<HALTON REGION OUR FILE NO. 030-200-016 RE-
MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT
STUDY - NOTICE OF STUDY COMMENCEMENT JOHN

STREET WASTEWATER PUMPING STATION, TOWN OF
HALTON HILLS (GEORGETOWN) 042817.pdf>

Thank you!
Tracey



Infrastructure Planning
Public Works
1151 Bronte Road
Oakville ON L6M 3L1

Haudenosaunee Development Institute
Suite 600 – 16 Sunrise Court
P.O. Box 714
Ohsweken, Ontario
N0A 1M0

Attention: Hazel E. Hill, Director

Dear Ms. Hill:

Re: Notice of Study Commencement
Municipal Class Environmental Assessment Study (Study)
John Street Wastewater Pumping Station
68 John Street, Georgetown
PR-2987A & PR-2987B

Thank you for your May 1, 2017 correspondence. The purpose of this letter is to respond to your letter as well as your May 25 e-mail, and to provide additional information about the engagement process that Halton Region is undertaking as part of this Municipal Class EA Study process. This process includes consultation opportunities for stakeholders including the Haudenosaunee Confederacy Council of Chiefs (HCCC), or the Haudenosaunee Development Institute (HDI) on HCCC's behalf.

Consultation for this Study will comply with the mandatory guidelines developed by the Municipal Engineers Association (MEA) for First Nations and Aboriginal Peoples consultation as detailed in its Municipal Class Environmental Assessment document. Halton Region also recognizes and follows the Ministry of Environment and Climate Change "Areas of Interest" guidance protocol for Aboriginal consultation under the Ontario *Environmental Assessment Act*.

Halton Region is committed to the open flow of information and to ensuring that there are meaningful opportunities for HCCC/HDI to provide input during the Study. The project team notified HCCC/HDI of the Study Commencement. HCCC/HDI also will receive timely notification of the future Public Information Centre and the filing of the Study Project File Report during the public review period. Throughout the course of this Study, the project team will be available to discuss HCCC/HDI's questions or concerns regarding the project.

When the Project File Report is placed on the public record at the end of the Study, HCCC/HDI will also have full public access to the document. This Report will include all completed environmental field work and archaeological assessment undertaken within the Study area, including the associated findings and/or recommendations. Again, during the public review period, the project team is available to review this information with HCCC/HDI.

The Regional Municipality of Halton

While Halton Region encourages HCCC/HDI to provide comments and input during the Study process as described above, it does not agree that HDI is entitled to determine an engagement model. At this juncture, the Region will not enter into the Environmental Monitoring Agreement you provided. The Region is open to re-visiting the issue of monitoring, however, if the archaeological assessment goes beyond a stage 1 desktop survey or the project team otherwise becomes aware of information about potential impacts.

Your letter references the Nanfan Treaty of 1701, the Treaty of Fort Stanwix of 1768, and the Board of Trade and Plantations understanding of Haudenosaunee territory in 1755. Based upon, among others things, the historical record, Halton Region does not accept the proposition that the Study lands are “owned” by the Haudenosaunee/Confederacy. Further, to the Region’s knowledge, Six Nations/Confederacy/HDI has never asserted in a legally recognized way aboriginal title to the lands within Halton Region. This view was communicated by the Region to HDI and Mr. Detlor last summer.

Further to this point, neither the Crown, nor HCCC/HDI, has identified any potential impacts to Aboriginal or treaty rights arising from the Study. Any concerns about unjustified impairments arising from the Ontario *Environmental Assessment Act* itself are better directed to the Crown.

If HCCC/HDI would like to meet with the project team, it is available on June 15 or June 22, 2017. If HCCC intends to participate in the Study process through HDI, kindly provide the appropriate HCCC authorization to that effect prior to the meeting. This authorization should identify the HDI individual(s) who are authorized to provide comments and input on HCCC’s behalf. Please note that all correspondence and engagement between the project team and HCCC/HDI will be documented in the Indigenous Communities Consultation Record. This Record will be incorporated into the final Study Project File.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi", with a horizontal line underneath.

Sanjeev Oberoi, P. Eng.
Project Manager

c.c. Chief Allen MacNaughton, HCCC
Leroy Hill Hohahes, Secretary, HCCC
Trevor Bell, Environmental Resource Planning and EA Coordinator, MOECC
Jake Noordhof, Senior Advisor - Indigenous Relations, MOECC



March 22, 2017

Public Works
Infrastructure Planning & Policy 1151
Bronte Road
Oakville ON L6M 3L1
Fax: (905) 847-2192

Mississaugas of the New Credit First Nation
2789 Mississauga Road
Hagersville ON,
N0A 1H0

**Re: Municipal Class Environmental Assessment Study – Notice of Study Commencement
John Street Wastewater Pumping Station, Town of Halton Hills (Georgetown)**

Dear Ms. Fawn Sault:

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain station in a state of good repair.

Accordingly, Halton Region has retained R.J. Burnside & Associates Limited (Burnside) to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards. Alternative solutions may include construction of a new emergency over flow to the Credit River to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events.

This Study is being carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*. The Study Area is shown in the attached Notice.

In order to initiate engagement, we are notifying your Indigenous community of the project (see enclosed notice) in hope that you can assist our Study project team in determining if your community may hold an interest in this project. Your comments are welcome and will be taken into consideration throughout this Municipal Class EA Study. For your convenience, we have enclosed a 'Response Form'. Specifically, we are seeking input on:

- Any preliminary comments or concerns that your community has on the proposed project;
- The level of interest in the project from the community for further engagement; and,
- The best methods to communicate with your community.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment is being carried out to establish the archaeological significance of the Study Area and identify any potential archaeological resources (including those of aboriginal descent) in order to minimize any potential impacts to the same prior to any future construction activities being undertaken. The Archaeological Assessment will be submitted to the Ministry of Tourism, Culture and Sport for approval to ensure that any concerns over any potential archaeological sites noted within the study area are satisfied and/or are to be further addressed through additional archaeological study. In parallel, a copy of this Assessment, or any other technical reports completed as part of this project, can also be provided to your community upon request. Our project team would be pleased to meet with you at any time during the Study to answer your questions or respond to any concerns you may have.

Thank you in advance for your participation. Should you have any questions or require additional information, please contact the undersigned by phone (905) 825-6000, ext. 7921, or fax (905) 847-2192 or email sanjeev.oberoi@halton.ca.

The Regional Municipality of Halton

Sincerely,



Sanjeev Oberoi , P.Eng.

Project Manager

Enclosure(s): Notice of Study Commencement and Response Form

cc: Jeff Langlois, Burnside
Jennifer Vandermeer, Burnside

NOTICE OF STUDY COMMENCEMENT

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station 68 John Street, Georgetown PR-2987A & PR-2987B

Study

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state of good repair. Accordingly, Halton Region initiated a Municipal Class Environmental Assessment (Class EA) Study that will consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards, including provision for an emergency over flow to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events. The impact of the WWPS upgrade alternatives on social, cultural, economic and natural environments will be evaluated and assessed during the Class EA Study.

The WWPS site location and approximate extent of the Study Area are shown on the map.

Process


This notice signals the commencement of the Class EA Study, which will define the problem, identify and evaluate alternative solutions, and determine a preferred solution in consultation with the Town of Halton Hills, regulatory agencies and the public. The Study is being carried out in accordance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Consultation with stakeholders, such as the public and review agencies, is a key component of the Study process, and input will be sought throughout the Study. A Public Information Centre (PIC) is anticipated to be held in summer 2017. Details regarding the forthcoming PIC will be advertised as the Study progresses. Upon completion of the Study, a Project File will be prepared and placed on the public record for a minimum 30-day review period. The document will detail the planning and consultation processes and the preferred alternative.

Comments

Comments received through the course of the Study will be considered and documented in the Class EA Study Report. Additional information related to the Study and consultation process may be obtained through the website:

halton.ca/Eaprojects



Please contact either of the project team members listed below if you have questions or would like to provide comments on the Class EA Study:

Sanjeev Oberoi, P.Eng.
Project Manager
Halton Region
1151 Bronte Road
Oakville, Ontario, L6M 3L1
Phone: (905) 825-6000 ext. 7921
Fax: (905) 847-2192
Email: Sanjeev.Oberoi@halton.ca

Jennifer Vandermeer, P.Eng.
Environmental Assessment Lead
R.J. Burnside & Associates Limited
292 Speedvale Ave. W, Unit 20
Guelph, Ontario, N1H 1C4
Phone: (226) 486-1559
Fax: (519) 836-5477
Email: Jennifer.Vandermeer@rjburnside.com

Information provided in response to this notice will be collected in accordance with the *Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public records.

This Notice first issued March 16, 2017.

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:

Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below)		
4.	Is the project within an area subject to a land claim?		
5.	Would your community / organization like to meet with the Region to discuss this study?		



Public Works
Infrastructure Planning & Policy 1151
Bronte Road
Oakville ON L6M 3L1
Fax: (905) 847-2192

March 22, 2017

Mississaugas of the New Credit First Nation
2789 Mississauga Road
Hagersville ON,
N0A 1H0

**Re: Municipal Class Environmental Assessment Study – Notice of Study Commencement
John Street Wastewater Pumping Station, Town of Halton Hills (Georgetown)**

Dear Chief R. Stacey Laforme:

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain station in a state of good repair.

Accordingly, Halton Region has retained R.J. Burnside & Associates Limited (Burnside) to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards. Alternative solutions may include construction of a new emergency over flow to the Credit River to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events.

This Study is being carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*. The Study Area is shown in the attached Notice.

In order to initiate engagement, we are notifying your Indigenous community of the project (see enclosed notice) in hope that you can assist our Study project team in determining if your community may hold an interest in this project. Your comments are welcome and will be taken into consideration throughout this Municipal Class EA Study. For your convenience, we have enclosed a 'Response Form'. Specifically, we are seeking input on:

- Any preliminary comments or concerns that your community has on the proposed project;
- The level of interest in the project from the community for further engagement; and,
- The best methods to communicate with your community.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment is being carried out to establish the archaeological significance of the Study Area and identify any potential archaeological resources (including those of aboriginal descent) in order to minimize any potential impacts to the same prior to any future construction activities being undertaken. The Archaeological Assessment will be submitted to the Ministry of Tourism, Culture and Sport for approval to ensure that any concerns over any potential archaeological sites noted within the study area are satisfied and/or are to be further addressed through additional archaeological study. In parallel, a copy of this Assessment, or any other technical reports completed as part of this project, can also be provided to your community upon request. Our project team would be pleased to meet with you at any time during the Study to answer your questions or respond to any concerns you may have.

Thank you in advance for your participation. Should you have any questions or require additional information, please contact the undersigned by phone (905) 825-6000, ext. 7921, or fax (905) 847-2192 or email sanjeev.oberoi@halton.ca.

The Regional Municipality of Halton

Sincerely,



Sanjeev Oberoi , P.Eng.

Project Manager

Enclosure(s): Notice of Study Commencement and Response Form

cc: Jeff Langlois, Burnside
Jennifer Vandermeer, Burnside

NOTICE OF STUDY COMMENCEMENT

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station 68 John Street, Georgetown PR-2987A & PR-2987B

Study

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state of good repair. Accordingly, Halton Region initiated a Municipal Class Environmental Assessment (Class EA) Study that will consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards, including provision for an emergency over flow to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events. The impact of the WWPS upgrade alternatives on social, cultural, economic and natural environments will be evaluated and assessed during the Class EA Study.

The WWPS site location and approximate extent of the Study Area are shown on the map.

Process


This notice signals the commencement of the Class EA Study, which will define the problem, identify and evaluate alternative solutions, and determine a preferred solution in consultation with the Town of Halton Hills, regulatory agencies and the public. The Study is being carried out in accordance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Consultation with stakeholders, such as the public and review agencies, is a key component of the Study process, and input will be sought throughout the Study. A Public Information Centre (PIC) is anticipated to be held in summer 2017. Details regarding the forthcoming PIC will be advertised as the Study progresses. Upon completion of the Study, a Project File will be prepared and placed on the public record for a minimum 30-day review period. The document will detail the planning and consultation processes and the preferred alternative.

Comments

Comments received through the course of the Study will be considered and documented in the Class EA Study Report. Additional information related to the Study and consultation process may be obtained through the website:

halton.ca/Eaprojects



Please contact either of the project team members listed below if you have questions or would like to provide comments on the Class EA Study:

Sanjeev Oberoi, P.Eng.
Project Manager
Halton Region
1151 Bronte Road
Oakville, Ontario, L6M 3L1
Phone: (905) 825-6000 ext. 7921
Fax: (905) 847-2192
Email: Sanjeev.Oberoi@halton.ca

Jennifer Vandermeer, P.Eng.
Environmental Assessment Lead
R.J. Burnside & Associates Limited
292 Speedvale Ave. W, Unit 20
Guelph, Ontario, N1H 1C4
Phone: (226) 486-1559
Fax: (519) 836-5477
Email: Jennifer.Vandermeer@rjburnside.com

Information provided in response to this notice will be collected in accordance with the *Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public records.

This Notice first issued March 16, 2017.

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:

Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below)		
4.	Is the project within an area subject to a land claim?		
5.	Would your community / organization like to meet with the Region to discuss this study?		

Telephone/Voicemail Message

Date Received: 5 April 2017

Project No.: 300039946.000

Project Name: John St. WWPS Class B EA

Subject: Follow up #1 on the Notice of Commencement

To: Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation

From: Avid Bani Hashemi Jahromi

Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

No answer; left a voice message that Burnside is calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to the Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns.

Template1
4/7/2017 12:52 PM

Avid Banihashemi

From: McLean, Nicole <Nicole.McLean@halton.ca>
Sent: Friday, April 21, 2017 4:31 PM
To: 'Fawn.Sault@newcreditfirstnation.com'
Cc: Oberoi, Sanjeev; Avid Banihashemi
Subject: John Street Wastewater Pumping Station (WWSP) Environmental Assessment - Notice of Commencement and Response Form
Attachments: Mississauga of New Credit First Nations - Sault.pdf

Good Afternoon Fawn,

My name is Nicole McLean. I work with the Water and Wastewater Infrastructure Planning group at Halton Region. I am sending an electronic copy of the Notice of Commencement, response form and letter for the John Street WWPS EA on behalf of Sanjeev Oberoi. If you have any further questions, please do not hesitate to contact Sanjeev. His contact information is in the attached PDF.

Best Regards,
Nicole McLean

Nicole McLean
Water & Wastewater Planning Coop Student
Infrastructure Planning & Policy
Public Works
Halton Region
905-825-6000, ext. 3112 | 1-866-442-5866



This message, including any attachments, is intended only for the person(s) named above and may contain confidential and/or privileged information. Any use, distribution, copying or disclosure by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please notify us immediately by telephone or e-mail and permanently delete the original transmission from us, including any attachments, without making a copy.



Telephone/Voicemail Message

Date Received: 19th, 21st and 24th April, 2017 **Project No.:** 300039946.000
Project Name: John St. WWPS Class B EA
Subject: Follow up #2 and #3 on the Notice of Commencement
To: Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation
From: Avid Banihashemi Jahromi
Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

19th April, 2017: Left a voice message that Burnside is calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to the Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns.

21st April, 2017: Talked to Fawn Sault, on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to the Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns. Fawn requested that electronic versions be sent to her via email. The Region sent the electronic version on the letter and the form on the same day.

24th April, 2017: Avid Received a call from Fawn Sault early morning. Fawn asked about the footprints of the project on the Credit River. Avid responded that the study is at very early stages and the potential options are not confirmed yet. Fawn noted that they want to be closely involved in all different stages of the EA study. Most particularly:

1. They want to have their representatives/monitors present at the natural studies surveys. They asked for a natural survey work plan to be sent to them as well.
2. They want to have a meeting with the Region to clarify the potential footprints of the project, more specifically on the Credit River. Fawn wants that to happen around June.

She emphasized that they need this meeting since they are not public or stakeholder, but the rightholder, and therefore they want to be more closely involved at the early stages of the project before the PIC.

Avid explained that there is paperwork that needs to be done including a liability waiver on the field. Fawn noted that the paper work be referred to Meaghan Devries (MNCFN).

Avid also note that there is a general plan for the fieldwork, but since there are limitations for each survey (e.g. weather) there are ranges of dates for when they are going to happen. The next upcoming survey is the Bat Habitat Survey coming up on 28th April, 2017 and hopefully the paper work would be ready by the end of the week (28th) to make the MNCFN monitors' attendance possible.



Telephone/Voicemail Message

Date Received: 28th April, 2017

Project No.: 300039946.000

Project Name: John St. WWPS Class B EA

Subject:

Call in response to a Fawn Sault, Consultation Manager from Mississauga of New Credit First Nation voice message on Monday (April 24) at 8:45 am regarding John Street Class EA Study. She requested a call back.

To

Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation

From:

Sanjeev Oberoi

Prepared By:

Avid Bani Hashemi Jahromi

Message/Conversation

28th April, 2017 (1:30 pm): Sanjeev called Fawn back and spoke with her regarding John Street WWPS Class EA Study.

She asked Sanjeev on the status of archeological Study. She notified him that if the Stage 1 archeological Study escalated to a Stage 2 Study, then they would like to be involved in the Study. She also requested to meet with the Region sometime in June to speak about this. Sanjeev informed her that he will initiate the discussion with his senior management regarding this and reminded her to send him the response form. She said she is drafting a letter for the Region and the request to meet with the Region will be included in that.

Avid Banihashemi

From: Oberoi, Sanjeev <Sanjeev.Oberoi@halton.ca>
Sent: Friday, June 23, 2017 1:46 PM
To: Jeff Langlois; Jennifer Vandermeer; Avid Banihashemi
Subject: FW: the John Street Class EA Study dated May 29th, 2017.
Attachments: LOLC Halton John Street Class EA.docx

Importance: High

Follow Up Flag: Follow up
Flag Status: Flagged

For your file, response received from MNCFN.

Thanks,

Sanjeev Oberoi, P.Eng.


Project Manager II

Infrastructure Planning & Policy

Public Works

Halton Region

905-825-6000, ext. 7921 | 1-866-442-5866



This message, including any attachments, is intended only for the person(s) named above and may contain confidential and/or privileged information. Any use, distribution, copying or disclosure by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please notify us immediately by telephone or e-mail and permanently delete the original transmission from us, including any attachments, without making a copy.

From: DOCA [<mailto:DOCA@mncfn.ca>]
Sent: Friday, June 23, 2017 10:26 AM
To: Oberoi, Sanjeev
Cc: Fawn Sault
Subject: the John Street Class EA Study dated May 29th, 2017.

Thank you for the notification sent to The Mississaugas of the New Credit First Nation (MNCFN) regarding *the John Street Class EA Study dated May 29th, 2017*. We have reviewed the document you have provided and determined that, at this time, MNCFN has a **low level** of concern about the project. ***Please see the attached letter for more information.***

Respectfully, we ask that you immediately notify MNCFN if there are any changes to the project as they may impact MNCFN's interests. Additionally, MNCFN requests a copy of all associated environmental and/or archaeological reports. These can be electronic copies, if you prefer. Furthermore, MNCFN employs Field Liaison Representatives who **must** be on location whenever any fieldwork for environmental and/or

archaeological assessments is undertaken. If additional work is scheduled, please notify us as soon as possible so that we may work together to discuss and arrange for MNCFN's participation.

Sincerely,

Karissa Johnson
Archaeological/Environmental Assistant

Mississaugas of the New Credit First Nation
Department of Consultation & Accommodation
6 First Line Rd., Unit 1 R.R. #6 Hagersville, ON N0A 1H0
Phone: (905) 768-4260 Fax: (905) 768-9751

[Email:doca@mncfn.ca](mailto:doca@mncfn.ca)
<http://www.mncfn.ca>

****This e-mail and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this e-mail are solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.****



August 9, 2017

Sanjeev Oberoi, P. Eng.
Project Manager II
Public Works
Halton Region
Sanjeev.Oberoi@halton.ca

Dear Mr. Oberoi,

We are the Mississaugas of the New Credit First Nation (MNCFN), the descendants of the Mississaugas of the River Credit. Our traditional territory extends from the Rouge River Valley in the east, across to the headwaters of the Thames River, down to Long Point on Lake Erie, and back along the shores of Lake Erie, the Niagara River, and Lake Ontario to the Rouge River Valley. It encompasses present-day London, Hamilton, and Toronto, as well as our communal lands. Our traditional territory has defined and sustained us as a First Nation for countless generations, and must continue to do so for all our generations to come.

Thank you for your notification on *the John Street Class EA Study on May 29, 2017*. The Mississaugas of the New Credit First Nation (MNCFN) has various treaty rights across its traditional territory, including the area contemplated by your project. For further information, please see our website, <http://www.newcreditfirstnation.com/>. MNCFN continues to exercise treaty rights which include, but are not limited to, rights to harvest, fish, trap and gather species of plants, animals and insects for any purpose including food, social, ceremonial, trade and exchange purposes. The MNCFN also has the right to use the water and resources from the rivers, creeks and lands across the MNCFN traditional territory.

At this time, MNCFN *does not* have a high level of concern regarding the proposed project and therefore, by way of this letter, approves the continuation of this project. However, MNCFN requests that you continue to notify us about the status of the project. **In addition, we respectfully ask you to immediately notify us if there are any changes to the project as they may impact MNCFN's interests and that you please provide us with a copy of all associated**

environmental and archaeology reports. This includes, but is not limited to changes related to the scope of work and expected archaeological and environmental impacts.

Additionally, MNCFN employs Field Liaison Representatives (“FLRs”) to act as official representatives of the community and who are answerable to MNCFN Chief and Council through the Department of Consultation and Accommodation. The FLRs’ mandate is to ensure that MNCFN’s perspectives and priorities are considered in the field and to enable MNCFN to provide timely, relevant, and meaningful comment on the Project. Therefore, **it is MNCFN policy that FLRs are on location whenever any fieldwork for environmental and/or archaeological assessments are undertaken.** It is expected that the proponent will cover the costs of this FLR participation in the fieldwork. Please also provide the contact information of the person, or consultant, in charge of organizing this work so they may facilitate the participation of the MNCFN FLRs.

Nothing in this letter shall be construed as to affect the Aboriginal or Treaty rights and hence shall not limit any consultation and accommodation owed to MNCFN by the Crown or any proponent, as recognized by section 35 of the Constitution Act, 1982, of any other First Nation.

MNCFN reserves the right in relation to any development project or decision, to decide whether it supports a project and to: comment to regulators, participate in regulatory processes and hearings, seek intervener funding or status, or to challenge and seek remedies through the courts.

MNCFN expects all proponents to act according to the following best practices:

- Engage early in the planning process, before decisions are made
- Provide information in meaningful and understandable formats.
- Convey willingness to transparently describe the project and consider any MNCFN concerns.
- Recognize the significance of cultural activities and traditional practices of the MNCFN
- Demonstrate a respect for MNCFN knowledge and uses of land and resources.
- Understand the importance of youth and elders in First Nation communities.
- Act with honour, openness, transparency and respect.
- Be prepared to listen and allow time for meaningful discussion.

Sincerely,

Fawn D. Sault

Consultation Manager

MNCFN Department of Consultation and Accommodation

cc – Mark LaForme; Director, Department of Consultation and Accommodation

Avid Banihashemi

From: Oberoi, Sanjeev <Sanjeev.Oberoi@halton.ca>
Sent: Monday, July 10, 2017 3:07 PM
To: Fawn Sault
Cc: 'Stacey.Laforme@mncfn.ca'; Noordhof, Jake (MOECC); trevor.bell@ontario.ca; 'DOCA'
Subject: RE: the John Street Class EA Study dated May 29th, 2017.
Attachments: MNCFN response letter.pdf; the John Street Class EA Study dated May 29th, 2017.

Follow Up Flag: Follow up
Flag Status: Flagged

Good Afternoon Fawn,

Thanks for your letter and email correspondence to date in regards to the John Street WWPS Class EA Study. Please find attached the Region's formal response to your queries.

We look forward to continued dialogue and consultation with you throughout the course of the Study. In this regard, we are happy to meet with you regarding the objectives of the Study and ongoing opportunities for you to provide input to the Study. We have proposed a couple of the suggested meeting dates as outlined in the attached letter. Please confirm your potential availability on either of these dates or alternatively suggest a different date and time that may be suitable.

Regards,

Sanjeev Oberoi, P.Eng.

Project Manager II

Infrastructure Planning & Policy

Public Works

Halton Region

905-825-6000, ext. 7921 | 1-866-442-5866



halton.ca ☎ 311

This message, including any attachments, is intended only for the person(s) named above and may contain confidential and/or privileged information. Any use, distribution, copying or disclosure by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please notify us immediately by telephone or e-mail and permanently delete the original transmission from us, including any attachments, without making a copy.

From: DOCA [mailto:DOCA@mncfn.ca]
Sent: Friday, June 23, 2017 10:26 AM
To: Oberoi, Sanjeev
Cc: Fawn Sault
Subject: the John Street Class EA Study dated May 29th, 2017.

Thank you for the notification sent to The Mississaugas of the New Credit First Nation (MNCFN) regarding *the John Street Class EA Study dated May 29th, 2017*. We have reviewed the document you have provided and determined that, at this time, MNCFN has a **low level** of concern about the project. ***Please see the attached letter for more information.***

Respectfully, we ask that you immediately notify MNCFN if there are any changes to the project as they may impact MNCFN's interests. Additionally, MNCFN requests a copy of all associated environmental and/or archaeological reports. These can be electronic copies, if you prefer. Furthermore, MNCFN employs Field Liaison Representatives who **must** be on location whenever any fieldwork for environmental and/or archaeological assessments is undertaken. If additional work is scheduled, please notify us as soon as possible so that we may work together to discuss and arrange for MNCFN's participation.

Sincerely,

Karissa Johnson
Archaeological/Environmental Assistant

Mississaugas of the New Credit First Nation
Department of Consultation & Accommodation
6 First Line Rd., Unit 1 R.R. #6 Hagersville, ON N0A 1H0
Phone: (905) 768-4260 Fax: (905) 768-9751

[Email:doca@mncfn.ca](mailto:doca@mncfn.ca)
<http://www.mncfn.ca>

****This e-mail and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this e-mail are solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.****



Infrastructure Planning
Public Works
1151 Bronte Road
Oakville ON L6M 3L1

July 10, 2017

Mississaugas of the New Credit First Nation
Department of Consultation and Accommodation
6 First Line Rd., Unit 1 R.R. #6
Hagersville, Ontario
NOA 1H0

Attention: Fawn D. Sault, Consultation Manager

Dear Ms. Sault:

Re: Notice of Study Commencement
Municipal Class Environmental Assessment Study (Study)
John Street Wastewater Pumping Station
68 John Street, Georgetown
PR-2987A & PR-2987B

Thank you for your June 23, 2017 correspondence. The purpose of this letter is to respond to your letter and to provide additional information about the engagement process that Halton Region is undertaking as part of this Municipal Class EA Study process. This process includes consultation opportunities for stakeholders including the Mississaugas of the New Credit First Nation (MNCFN).

Consultation for this Study will comply with the mandatory guidelines developed by the Municipal Engineers Association (MEA) for First Nations and Aboriginal Peoples consultation as detailed in its Municipal Class Environmental Assessment document. Halton Region also recognizes and follows the Ministry of Environment and Climate Change "Areas of Interest" guidance protocol for Aboriginal consultation under the Ontario *Environmental Assessment Act*.

Halton Region is committed to the open flow of information and to ensuring that there are meaningful opportunities for MNCFN to provide input during the Study. The project team notified MNCFN of the Study Commencement. MNCFN will also receive timely notification of the future Public Information Centre and the filing of the Study Project File Report during the public review period. Throughout the course of this Study, the project team will be available to discuss MNCFN's questions or concerns regarding the project.

When the Project File Report is placed on the public record at the end of the Study, MNCFN will also have full public access to the document. This Report will include all completed environmental field work and archaeological assessment undertaken within the Study area, including the associated findings and/or recommendations. Again, during the public review period, the project team is available to review this information with MNCFN. Please note as well that all correspondence and engagement between the project team and MNCFN will be

The Regional Municipality of Halton

documented in the Indigenous Communities Consultation Record and that this Record will be incorporated into the final Study Project File.

Halton Region encourages MNCFN to provide input and discuss any concerns with the Region during the Study process. Neither the Crown nor MNCFN identified any potential impacts to Aboriginal or treaty rights arising from the Study. Accordingly, at this juncture the Region does not support MNCFN Field Liaison Representatives' direct participation in the fieldwork. Please note that at this stage there is no archaeological assessment fieldwork being conducted. If the archaeological assessment goes beyond a stage 1 desktop survey or the Project team otherwise becomes aware of information about potential impacts to Aboriginal or treaty rights, the Region is open to re-visiting the issue.

If MNCFN would like to meet with the project team at this time, it is available on August 9 or August 15, 2017. We look forward to MNCFN's continued input during the Study.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi", with a horizontal line underneath.

Sanjeev Oberoi, P. Eng.
Project Manager

c.c. Mark LaForme, Director, Department of Consultation and Accommodation
Chief R. Stacey Laforme, MNCFN
Trevor Bell, Environmental Resource Planning and EA Coordinator, MOECC
Jake Noordhof, Senior Advisor - Indigenous Relations, MOECC



Telephone/Voicemail Message

Date Received: November 29, 2017 **Project No.:** 300039946.0000
Project Name: John St. WWPS Class B EA
Subject: Follow up call on the Notice of PIC
To: MNCFN
From: Avid Bani Hashemi Jahromi
Prepared By: Shae Richter

Message/Conversation

Avid Bani Hashemi Jahromi called Mississaugas of the New Credit First Nation (MNCFN) on behalf of Halton Region on to follow up on them receiving the PIC notice sent on 16 November 2017. Avid talked to Dale who confirmed that the MNCFN has received the Notice of PIC and that it had been passed to their consultation manager.

291117_Follow up call PIC Mississaugas of New Credit FN John St. EA
2/1/2018 2:21 PM



March 22, 2017

Six Nations of the Grand River

P.O. Box 5000
Ohsweken ON,
N0A 1M0

Public Works
Infrastructure Planning & Policy 1151
Bronte Road
Oakville ON L6M 3L1
Fax: (905) 847-2192

**Re: Municipal Class Environmental Assessment Study – Notice of Study Commencement
John Street Wastewater Pumping Station, Town of Halton Hills (Georgetown)**

Dear Chief Ava Hill:

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain station in a state of good repair.

Accordingly, Halton Region has retained R.J. Burnside & Associates Limited (Burnside) to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards. Alternative solutions may include construction of a new emergency over flow to the Credit River to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events.

This Study is being carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*. The Study Area is shown in the attached Notice.

In order to initiate engagement, we are notifying your Indigenous community of the project (see enclosed notice) in hope that you can assist our Study project team in determining if your community may hold an interest in this project. Your comments are welcome and will be taken into consideration throughout this Municipal Class EA Study. For your convenience, we have enclosed a 'Response Form'. Specifically, we are seeking input on:


- Any preliminary comments or concerns that your community has on the proposed project;
- The level of interest in the project from the community for further engagement; and,
- The best methods to communicate with your community.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment is being carried out to establish the archaeological significance of the Study Area and identify any potential archaeological resources (including those of aboriginal descent) in order to minimize any potential impacts to the same prior to any future construction activities being undertaken. The Archaeological Assessment will be submitted to the Ministry of Tourism, Culture and Sport for approval to ensure that any concerns over any potential archaeological sites noted within the study area are satisfied and/or are to be further addressed through additional archaeological study. In parallel, a copy of this Assessment, or any other technical reports completed as part of this project, can also be provided to your community upon request. Our project team would be pleased to meet with you at any time during the Study to answer your questions or respond to any concerns you may have.

Thank you in advance for your participation. Should you have any questions or require additional information, please contact the undersigned by phone (905) 825-6000, ext. 7921, or fax (905) 847-2192 or email sanjeev.oberoi@halton.ca.

The Regional Municipality of Halton

Sincerely,



Sanjeev Oberoi , P.Eng.

Project Manager

Enclosure(s): Notice of Study Commencement and Response Form

cc: Jeff Langlois, Burnside
Jennifer Vandermeer, Burnside

NOTICE OF STUDY COMMENCEMENT

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station 68 John Street, Georgetown PR-2987A & PR-2987B

Study

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state of good repair. Accordingly, Halton Region initiated a Municipal Class Environmental Assessment (Class EA) Study that will consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards, including provision for an emergency over flow to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events. The impact of the WWPS upgrade alternatives on social, cultural, economic and natural environments will be evaluated and assessed during the Class EA Study.

The WWPS site location and approximate extent of the Study Area are shown on the map.

Process


This notice signals the commencement of the Class EA Study, which will define the problem, identify and evaluate alternative solutions, and determine a preferred solution in consultation with the Town of Halton Hills, regulatory agencies and the public. The Study is being carried out in accordance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Consultation with stakeholders, such as the public and review agencies, is a key component of the Study process, and input will be sought throughout the Study. A Public Information Centre (PIC) is anticipated to be held in summer 2017. Details regarding the forthcoming PIC will be advertised as the Study progresses. Upon completion of the Study, a Project File will be prepared and placed on the public record for a minimum 30-day review period. The document will detail the planning and consultation processes and the preferred alternative.

Comments

Comments received through the course of the Study will be considered and documented in the Class EA Study Report. Additional information related to the Study and consultation process may be obtained through the website:

halton.ca/Eaprojects



Please contact either of the project team members listed below if you have questions or would like to provide comments on the Class EA Study:

Sanjeev Oberoi, P.Eng.
Project Manager
Halton Region
1151 Bronte Road
Oakville, Ontario, L6M 3L1
Phone: (905) 825-6000 ext. 7921
Fax: (905) 847-2192
Email: Sanjeev.Oberoi@halton.ca

Jennifer Vandermeer, P.Eng.
Environmental Assessment Lead
R.J. Burnside & Associates Limited
292 Speedvale Ave. W, Unit 20
Guelph, Ontario, N1H 1C4
Phone: (226) 486-1559
Fax: (519) 836-5477
Email: Jennifer.Vandermeer@rjburnside.com

Information provided in response to this notice will be collected in accordance with the *Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public records.

This Notice first issued March 16, 2017.

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:

Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below)		
4.	Is the project within an area subject to a land claim?		
5.	Would your community / organization like to meet with the Region to discuss this study?		



March 22, 2017

Six Nations of the Grand River

P.O. Box 5000
Ohsweken ON,
N0A 1M0

Public Works
Infrastructure Planning & Policy 1151
Bronte Road
Oakville ON L6M 3L1
Fax: (905) 847-2192

**Re: Municipal Class Environmental Assessment Study – Notice of Study Commencement
John Street Wastewater Pumping Station, Town of Halton Hills (Georgetown)**

Dear Ms. Arleen Maracle:

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain station in a state of good repair.

Accordingly, Halton Region has retained R.J. Burnside & Associates Limited (Burnside) to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards. Alternative solutions may include construction of a new emergency over flow to the Credit River to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events.

This Study is being carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*. The Study Area is shown in the attached Notice.

In order to initiate engagement, we are notifying your Indigenous community of the project (see enclosed notice) in hope that you can assist our Study project team in determining if your community may hold an interest in this project. Your comments are welcome and will be taken into consideration throughout this Municipal Class EA Study. For your convenience, we have enclosed a 'Response Form'. Specifically, we are seeking input on:

- Any preliminary comments or concerns that your community has on the proposed project;
- The level of interest in the project from the community for further engagement; and,
- The best methods to communicate with your community.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment is being carried out to establish the archaeological significance of the Study Area and identify any potential archaeological resources (including those of aboriginal descent) in order to minimize any potential impacts to the same prior to any future construction activities being undertaken. The Archaeological Assessment will be submitted to the Ministry of Tourism, Culture and Sport for approval to ensure that any concerns over any potential archaeological sites noted within the study area are satisfied and/or are to be further addressed through additional archaeological study. In parallel, a copy of this Assessment, or any other technical reports completed as part of this project, can also be provided to your community upon request. Our project team would be pleased to meet with you at any time during the Study to answer your questions or respond to any concerns you may have.

Thank you in advance for your participation. Should you have any questions or require additional information, please contact the undersigned by phone (905) 825-6000, ext. 7921, or fax (905) 847-2192 or email sanjeev.oberoi@halton.ca.

The Regional Municipality of Halton

Sincerely,



Sanjeev Oberoi , P.Eng.

Project Manager

Enclosure(s): Notice of Study Commencement and Response Form

cc: Jeff Langlois, Burnside
Jennifer Vandermeer, Burnside



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Hohahes Leroy Hill - Secretary
Haudenosaunee Confederacy Chiefs Council
2364 6th Line, RR #2
Ohsweken, Ontario N0A 1M0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Hohahes Leroy Hill:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, your response on May 1, 2017 and the Region's response on May 26, 2017, this letter is to inform the Haudenosaunee Confederacy Chiefs Council that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi".

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Fawn Sault
Consultation Manager
Mississaugas of the New Credit First Nation
2789 Mississauga Road, RR#6
Hagersville, Ontario N0A 1H0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Fawn Sault:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, your response on June 23, 2017, and the Region response on July 10, 2017, this letter is to inform the Mississaugas of the New Credit First Nation that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi".

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Chief Ralph Stacey Laforme
Mississaugas of the New Credit First Nation
2789 Mississauga Road, RR#6
Hagersville, Ontario N0A 1H0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Chief Laforme:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, your response on June 23, 2017, and the Region response on July 10, 2017, this letter is to inform the Mississaugas of the New Credit First Nation that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi".

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Chief Gail Ava Hill
Six Nations of the Grand River
P.O. Box 5000
Ohsweken, ON N0A 1M0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Chief Gail Ava Hill:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, this letter is to inform the Six Nations of the Grand River that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi", written over a white background.

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Joanne Thomas – Consultation Supervisor
Six Nations of the Grand River
P.O. Box 5000
Ohsweken, ON N0A 1M0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Joanne Thomas:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, this letter is to inform the Six Nations of the Grand River that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi", is written over a white background.

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton



Public Works
Infrastructure Planning and Policy
1151 Bronte Road
Oakville, ON L6M 3L1
Fax: 905-825-3270

June 13, 2018

Lonny Bomberry – Lands and Resources Director
Six Nations of the Grand River
P.O. Box 5000
Ohsweken, ON N0A 1M0

**Re: Municipal Class Environmental Assessment Study – Notice of Study
Completion for John Street Wastewater Pumping Station, Town of Halton Hills
(Georgetown)**

Dear Lonny Bomberry:

The Regional Municipality of Halton retained R.J. Burnside & Associates Limited to undertake a Municipal Class Environmental Assessment (EA) Study to consider a wide range of alternatives for improving or upgrading the John Street Wastewater Pumping Station (WWPS) and associated collection and discharge system in the Town of Halton Hills (Georgetown).

Further to the Region's correspondence dated March 22, 2017 regarding the Notice of Study Commencement, this letter is to inform the Six Nations of the Grand River that the enclosed Notice of Study Completion will be issued on June 14, 2018 and the Project File Report documenting the Municipal Class EA Study process will be placed on public record for a 45-day review period from **Thursday, June 14, 2018 to Monday, July 30, 2018**. Please refer to the enclosed Notice of Study Completion for a map showing the Study Area and for instructions regarding how to access and review the Project File Report.

The Municipal Class EA Study was carried out in accordance with the planning and design process for Schedule 'B' projects as outlined in the Municipal Engineers Association *Municipal Class Environmental Assessment* (October 2000, as amended in 2015), which is approved under the Ontario *Environmental Assessment Act*.

In accordance with the Municipal Class EA Study, a Stage 1 Archaeological Assessment (consisting principally of a paper research/document review) has been completed by Archeoworks Inc. The assessment identified some areas with archaeological potential that will be subject to a Stage 2 Archaeological Assessment. The Project File Report includes the commitment to conduct the Stage 2 Archaeological Assessment during the detailed design phase of the project. The Stage 1 Archaeological Assessment has been submitted to the Ministry of Tourism, Culture and Sport. A copy of this Assessment and correspondence with the Ministry of Tourism, Culture and Sport, have been documented in the Project File Report.

Our project team would be pleased to meet with you at any time to answer your questions or to respond to any concerns. The project team can be contacted through the undersigned by phone (905) 825-6000, ext 7921, or fax (905) 847-2192 or email Sanjeev.oberoi@halton.ca.

Sincerely,

A handwritten signature in black ink, appearing to read "Sanjeev Oberoi".

Sanjeev Oberoi, P.Eng., PMP

Project Manager
Infrastructure Planning & Policy – Halton Region

Enclosure(s): Notice of Study Completion
cc: Jeff Langlois, R.J. Burnside & Associates Limited

The Regional Municipality of Halton

NOTICE OF STUDY COMPLETION

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY
John Street Wastewater Pumping Station Improvements in
Georgetown, Town of Halton Hills
Our File: PR-2987A & PR-2987B

Study

Halton Region has completed a Municipal Class Environmental Assessment (EA) Study for the John Street Wastewater Pumping Station in the Town of Halton Hills. The John Street Wastewater Pumping Station is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state-of-good repair. A wide range of servicing alternatives have been considered, including a new station and upgrading the existing station to address wastewater conveyance requirements in the vicinity of the John Street Wastewater Pumping Station. This Study has been conducted in compliance with 'Schedule B' of the Municipal Class EA document (October 2000, as amended 2007, 2011 and 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Process

A Project File Report has been prepared to document the planning, public consultation and decision-making process undertaken for this Municipal Class EA Study. By this Notice, the Project File Report is being placed on the public record for a 45-day review period in accordance with the requirements of the Municipal Class EA. Subject to comments received as a result of this Notice and the receipt of necessary approvals, Halton Region intends to proceed with detailed design and construction of the preferred alternative solution as documented in the Project File Report and illustrated in the map. The Project File Report is available for review at the following locations:

**Regional Municipality of Halton
Clerk's Department**

1151 Bronte Road
Oakville, ON, L6M 3L1
Tel: (905) 825-6000
Monday to Friday: 8:30 a.m. – 4:30 p.m.

**Town of Halton Hills Clerk's
Department**

1 Halton Hills Dr.
Halton Hills, ON L7G 5G2
Tel: (905) 873-2600
Monday to Friday: 8:30 a.m. – 4:30 p.m.

Halton Hills Public Library


9 Church Street
Georgetown ON L7G 2A3
Tel: (905) 873-2681
Monday: 1 p.m. – 8:30 p.m.
Tuesday to Thursday: 9:30 a.m. – 8:30 p.m.
Friday to Saturday: 9:30 a.m. – 5 p.m.
Sunday: 1 p.m. – 5 p.m. (Closed on Sunday July/August)

An electronic copy of the Project File Report can be accessed at halton.ca/EAProjects.

We welcome your feedback. **Please provide comments to the Halton Region Project Manager by Monday, July 30, 2018.**

Sanjeev Oberoi, P.Eng., PMP
Project Manager
Infrastructure Planning & Policy
Halton Region
1151 Bronte Road, Oakville
ON L6M 3L1
Tel: (905) 825-6000, ext. 7921
Sanjeev.Oberoi@halton.ca

The map shows the approximate limits of the Study area and the preferred alternative solution.



If concerns regarding this project cannot be resolved through discussions with the Region, a person or party may request that the Minister of the Environment and Climate Change order the project to comply with Part II of the Environmental Assessment Act (referred to as a Part II Order), which addresses individual environmental assessments. The Ministry's Part II Order Request Form may be downloaded at www.forms.ssb.gov.on.ca.

Requests for a Part II Order must be received by the Ministry and Region in writing through a completed form, at the addresses provided, by **Monday, July 30, 2018** (within 45 days of this Notice):

**Minister, Ministry of the
Environment and Climate
Change**

Ferguson Block, 77 Wellesley St.
W, 11th Floor
Toronto ON M7A 2T5
Fax: 416-314-8452
Minister.MOEC@ontario.ca

**Director, Environmental
Assessment
and Permissions Branch
Ministry of the Environment
and Climate Change**

135 St. Clair Ave W, 1st Floor
Toronto ON M4V 1P5
MOECCpermissions@ontario.ca

**Sanjeev Oberoi, P.Eng., PMP
Project Manager
Infrastructure Planning & Policy
Halton Region**

1151 Bronte Road, Oakville
ON L6M 3L1
Tel: (905) 825-6000, ext. 7921
Sanjeev.Oberoi@halton.ca

This notice first issued on Thursday, June 14, 2018.

NOTICE OF STUDY COMMENCEMENT

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station 68 John Street, Georgetown PR-2987A & PR-2987B

Study

The Region's John Street Wastewater Pumping Station (WWPS) in Georgetown is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state of good repair. Accordingly, Halton Region initiated a Municipal Class Environmental Assessment (Class EA) Study that will consider a wide range of WWPS and/or collection system upgrade alternatives, in order to select the most appropriate station design concept that meets Halton Region's latest design standards, including provision for an emergency over flow to reduce the risk of a sewer surcharge in the event of WWPS system failure and/or during peak wet weather events. The impact of the WWPS upgrade alternatives on social, cultural, economic and natural environments will be evaluated and assessed during the Class EA Study.

The WWPS site location and approximate extent of the Study Area are shown on the map.

Process


This notice signals the commencement of the Class EA Study, which will define the problem, identify and evaluate alternative solutions, and determine a preferred solution in consultation with the Town of Halton Hills, regulatory agencies and the public. The Study is being carried out in accordance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Consultation with stakeholders, such as the public and review agencies, is a key component of the Study process, and input will be sought throughout the Study. A Public Information Centre (PIC) is anticipated to be held in summer 2017. Details regarding the forthcoming PIC will be advertised as the Study progresses. Upon completion of the Study, a Project File will be prepared and placed on the public record for a minimum 30-day review period. The document will detail the planning and consultation processes and the preferred alternative.

Comments

Comments received through the course of the Study will be considered and documented in the Class EA Study Report. Additional information related to the Study and consultation process may be obtained through the website:

halton.ca/Eaprojects



Please contact either of the project team members listed below if you have questions or would like to provide comments on the Class EA Study:

Sanjeev Oberoi, P.Eng.
Project Manager
Halton Region
1151 Bronte Road
Oakville, Ontario, L6M 3L1
Phone: (905) 825-6000 ext. 7921
Fax: (905) 847-2192
Email: Sanjeev.Oberoi@halton.ca

Jennifer Vandermeer, P.Eng.
Environmental Assessment Lead
R.J. Burnside & Associates Limited
292 Speedvale Ave. W, Unit 20
Guelph, Ontario, N1H 1C4
Phone: (226) 486-1559
Fax: (519) 836-5477
Email: Jennifer.Vandermeer@rjburnside.com

Information provided in response to this notice will be collected in accordance with the *Freedom of Information and Protection of Privacy Act*. With the exception of personal information, all comments will become part of the public records.

This Notice first issued March 16, 2017.

Project Response Form

Notice of Study Commencement John Street Wastewater Pumping Station Class Environmental Assessment Study

Name: _____
(Please Print)

Phone No.: _____

Signed: _____

Date: _____

If there is a different contact for your organization that we should follow-up with, please let us know:

Name:	
Address:	
Phone:	
Email:	

The study is in its initial stages and information can be provided as it progresses.

Please assist us in identifying your interests:

		YES	NO
1.	Do you wish to participate in this project?		
2.	If the answer to Question 1 is "no," would you like to be removed from contact list?		
3.	Are there areas of cultural significance to your community in close proximity to the study area that the Region should be aware of? (if yes, please provide details below)		
4.	Is the project within an area subject to a land claim?		
5.	Would your community / organization like to meet with the Region to discuss this study?		

Is there any additional information your community requires from the Region in order to better understand the study and to identify if / how the project may adversely impact Aboriginal and / or Treaty rights of your community?

Please identify any initial comments your community or organization may have at this time.

Please return this completed to **Sanjeev Oberoi P.Eng.**
Project Manager-Halton Region
1151 Bronte Road, Oakville, Ontario, L6M
Telephone: (905) 825-6000 ext. 7921
Fax: 905-847-2192
Sanjeev.oberoi@halton.ca

Telephone/Voicemail Message

Date Received: 5 April 2017

Project No.: 300039946.000

Project Name: John St. WWPS Class B EA

Subject: Follow up #1 on the Notice of Commencement

To: Six Nations of the Grand River

From: Avid Bani Hashemi Jahromi

Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

Burnside explained to Matt Jarcko[?] that they are calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to Chief Ava Hill, Six Nations of the Grand River on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns. Matt noted that they have not got a chance to look at the Notice yet, but will follow up to have a response back through email.

Template1
4/7/2017 1:12 PM



Telephone/Voicemail Message

Date Received: 24th April, 2017 **Project No.:** 300039946.000

Project Name: John St. WWPS Class B EA

Subject: Follow up #2 and #3 on the Notice of Commencement

To Joanne Thomas/Matt Jarko, Consultation Supervisor, Six Nations

From: Avid Banihashemi Jahromi

Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

19th April, 2017: Left a message with Marcei for Joanne Thomas/Matt Jarko: that Burnside is calling on behalf the Region of Halton to follow up on a Notice Study Commencement sent out to the Ms. Fawn Sault, Consultation Manager, Mississaugas of the New Credit First Nation on March 22nd on John St. WWPS Class B EA and the attached form, and if the community got a chance to review and share their comments/concerns.

24th April, 2017 : Talked to Matt Jarko. He noted that he is in the process of reviewing the NOCm and will get back to the contacts provided on NOCm if they have any comments/questions. Avid let him know that a couple of natural field surveys are happening now and they cannot wait since they are time sensitive and has to follow specific protocols.

190417_Follow up calls NOCm Six Nations John St. EA
1/29/2018 9:39 AM



Telephone/Voicemail Message

Date Received: 26th May, 2017 **Project No.:** 300039946.000
Project Name: John St. WWPS Class B EA
Subject: Follow up call #4 on the Notice of Commencement
To Matt Jarko, Consultation Supervisor, Six Nations
From: Avid Banihashemi Jahromi
Prepared By: Avid Bani Hashemi Jahromi

Message/Conversation

Talked to Matt Jarko. He noted that at this time they do not have any questions or concerns regarding the project. But they would like to be kept on the project contact list to receive notices and to be kept informed.

260517_Follow up calls NOCm Six Nations John St. EA
1/29/2018 9:39 AM



Telephone/Voicemail Message

Date Received: November 29, 2017 **Project No.:** 300039946.0000
Project Name: John St. WWPS Class B EA
Subject: Follow up call on the Notice of PIC
To: Six Nations
From: Avid Bani Hashemi Jahromi
Prepared By: Shae Richter

Message/Conversation

Avid Bani Hashemi Jahromi called Six Nations on behalf of Halton Region on to follow up on them receiving the PIC notice sent on 16 November 2017. Avid talked to Misty who confirmed that Six Nations has received the Notice of PIC and that it had been passed to their consultation manager.

291117_Follow up call PIC Six Nations John St. EA
2/1/2018 2:24 PM

Avid Banihashemi

From: Avid Banihashemi
Sent: Wednesday, November 29, 2017 2:03 PM
To: 'jocko@sixnationsns.com'
Cc: 'mjocko@sixnations.ca'
Subject: Noticeof PIC - Municipal Class Environmental Assessment Study for John Street WWPS
Attachments: 039946_John Street WWPS EA_NoticeOfPIC-Final.pdf

Good afternoon Matt,

On behalf of Halton Region, I am following up regarding a Notice of Public Information Centre (PIC) on the Municipal Class Environmental Assessment Study for John Street Wastewater Pumping Station in Georgetown, that has been sent to you mid-November. I am following up to make sure that you have received the Notice (also attached).

Thanks,

Best regards,
Avid

NOTICE OF PUBLIC INFORMATION CENTRE

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY John Street Wastewater Pumping Station Georgetown, Town of Halton Hills PR-2987A & PR-2987B

Background

Halton Region is undertaking a Municipal Class Environmental Assessment Study for the John Street Wastewater Pumping Station in the Town of Halton Hills. The John Street Wastewater Pumping Station is nearing the end of its useful life and requires significant capital upgrades in order to maintain the station in a state-of-good repair.

A wide range of servicing alternatives have been considered, including a new station and upgrading the existing station to address wastewater conveyance requirements in the vicinity of the John Street Wastewater Pumping Station. The impact of various alternatives on social, cultural, economic and natural environments have been evaluated and assessed during the Study.

Process


The Study is being conducted in compliance with the requirements of a Schedule B undertaking under the *Municipal Class Environmental Assessment* (October 2000, as amended 2007, 2011 & 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

As part of the Study, a Public Information Centre (PIC) is scheduled to allow the public and interested stakeholders to learn more about the Study and provide input and comments on the recommended alternative solution. The PIC has been arranged for:

Date: Thursday, November 30, 2017
Time: 6:00pm – 8:00 pm (Drop-in)
Location: Georgetown Public Library
 9 Church Street, Georgetown, ON

Comments

If you are unable to attend the PIC and would like to provide comments, please forward them to the Project Team by December 21, 2017. Comments received through the course of the Study will be considered and documented in the Class Environment Assessment Project File Report. For more information on this Study and the consultation process, please visit the project website at halton.ca/EAprojects



The map shows the approximate limits of the Study Area.

Sanjeev Oberoi, P.Eng.
 Project Manager
 Halton Region
 1151 Bronte Road
 Oakville, Ontario, L6M 3L1
 Phone: (905) 825-6000 ext. 7921
 Fax: (905) 847-2192
 Email: Sanjeev.Oberoi@halton.ca

Avid Banihashemi, PhD.
 Environmental Assessment Coordinator
 R.J. Burnside & Associates Limited
 292 Speedvale Ave. W, Unit 20
 Guelph, Ontario, N1H 1C4
 Phone: (226) 486-1562
 Fax: (519) 836-5477
 Email: avid.banihashemi@rjburnside.com

This Notice first issued on November 16, 2017.